

CHILDREN'S ACETAMINOPHEN (TYLENOL)

CHILDREN'S ACETAMINOPHEN (Tylenol)	Infants' Oral Suspension Liquid	Children's Suspension Liquid	Children's Soft Chews Chewable	Junior Strength Chewable
DOSE**	160 mg/5 mL	160 mg/5 mL	80 mg each	160 mg each
Weight	mL (Teaspoon)		Tablet	Tablet
6–11 lbs	1.25 mL		--	--
12–17 lbs	2.5 mL	2.5 mL (½ tsp)	--	--
18–23 lbs	3.75 mL	3.75 mL (¾ tsp)	--	--
24–35 lbs	5 mL	5 mL (1 tsp)	2 tablets	--
36–47 lbs	--	7.5 mL (1 ½ tsp)	3 tablets	--
48–59 lbs	--	10 mL (2 tsp)	4 tablets	2 tablets
60–71 lbs	--	12.5 mL (2 ½ tsp)	5 tablets	2½ tablets
72–95 lbs	--	15 mL (3 tsp)	6 tablets	3 tablets
96 lbs & over	--	--	--	4 tablets

** All dosages may be repeated every 4 hours, but not more than 5 times daily.

** See box insert for warnings.

CHILDREN'S IBUPROFEN (MOTRIN/ADVIL)

CHILDREN'S IBUPROFEN (Motrin/Advil)	Infants' Concentrated Drops	Children's Suspension Liquid	Children's Chewable	Junior Strength Chewable	Junior Strength Caplets
DOSE**	50 mg/1.25 mL	100 mg/5 mL	50 mg	100 mg	100 mg
Weight	mL (Teaspoon)		Tablet	Tablet	Caplet
12–17 lbs	50 mg = 1.25 mL	--	--	--	--
18–23 lbs	75 mg = 1.875 mL	--	--	--	--
24–35 lbs	--	5 mL (1 tsp)	2 tablets	--	--
36–47 lbs	--	7.5 mL (1½ tsp)	3 tablets	--	--
48–59 lbs	--	10 mL (2 tsp)	4 tablets	2 tablets	2 caplets
60–71 lbs	--	12.5 mL (2½ tsp)	5 tablets	2½ tablets	2½ caplets
72–95 lbs	--	15 mL (3 tsp)	6 tablets	3 tablets	3 caplets

** All dosages may be repeated every 6-8 hours, but not more than 4 times daily.

** See box insert for warnings.